

Purdue University
Purdue e-Pubs

LARS Symposia

Laboratory for Applications of Remote Sensing

1-1-1979

Applications of Landsat Data for Resource Inventories on Federal Lands in the Western United States

William D. Dipaolo

Follow this and additional works at: http://docs.lib.purdue.edu/lars_symp

Dipaolo, William D., "Applications of Landsat Data for Resource Inventories on Federal Lands in the Western United States" (1979).
LARS Symposia. Paper 313.
http://docs.lib.purdue.edu/lars_symp/313

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact epubs@purdue.edu for additional information.

Reprinted from

Symposium on

Machine Processing of

Remotely Sensed Data

June 27 - 29, 1979

The Laboratory for Applications of
Remote Sensing

Purdue University
West Lafayette
Indiana 47907 USA

IEEE Catalog No.
79CH1430-8 MPRSD

Copyright © 1979 IEEE
The Institute of Electrical and Electronics Engineers, Inc.

Copyright © 2004 IEEE. This material is provided with permission of the IEEE. Such permission of the IEEE does not in any way imply IEEE endorsement of any of the products or services of the Purdue Research Foundation/University. Internal or personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution must be obtained from the IEEE by writing to pubs-permissions@ieee.org.

By choosing to view this document, you agree to all provisions of the copyright laws protecting it.

APPLICATIONS OF LANDSAT DATA FOR RESOURCE INVENTORIES ON FEDERAL LANDS IN THE WESTERN UNITED STATES

WILLIAM D. DIPAOLO

U.S. Bureau of Land Management (BLM)

The U.S. Bureau of Land Management (BLM) and NASA have been involved in a program over the past three years to evaluate the applicability of utilizing Landsat digital data for the inventory and mapping of natural resources on BLM managed lands in the Western U.S. As part of this program, a 1,215,000 hectare (3 million acre) area in southwestern Idaho is currently being analyzed to obtain an inventory of wildland vegetation for rangeland management. Within this area approximately 101,250 hectares (250,000 acres) are being studied for soils using digital data obtained from Landsats 2 and 3. The current results of this soils effort will be discussed.

The area selected for the soils study site is both topographically and geologically diverse. Elevations range from about 700 meters (2300 feet) in the lowlands around the Snake River plain to over 2,135 meters (7000 feet) in the mountain and plateau areas to the southwest. Precipitation ranges from about 15.2 cm (6 in) in the lower areas to over 35.5 cm (14 in) in the higher terrain. The area consists of soils that have been derived from granitic and volcanic bedrock, fluvial and lacustrine sediments, loess, and alluvial fan deposits. Changes in natural vegetation in this area can be correlated generally to changes in soil type. Field investigations have been conducted to correlate the spectral classification with representative soils at various test sites. The spectral soil characteristics identified by Landsat data may serve as a useful tool in expediting the work of field crews. This information also may be applicable to other types of broad resource planning.